

MUCCI LED PENDANT SYSTEM




SPECIFICATIONS - 38136-016

WATTS	88W Integrated LED
BEAM ANGLE	N/A
KELVIN	3000K
DELIVERED LUMENS	3690lm
CRI	90+
DIMMING	TRIAC Standard, 0-10V is consult factory
LOCATION	Damp
INPUT VOLTAGE	120V
COLOR	Black/White
HANGING SUPPORT	Aircraft Cable
TITLE 24	Yes

FEATURES


MUCCI is a fully customizable system with multiple light modules that can be easily attached to a low voltage copper rail. The aluminum frame can support any customization up to 70 watts maximum for tailored directional or general lighting.



CERTIFICATIONS



BASE FEATURES



FLUID COPPER RAIL FOR CUSTOM ARRANGEMENT CLAMPS 2 WAYS

PENDANT BASE OPTIONS

INWARD LED



38136-016

38136-016 60" INWARD LED PENDANT

LAMPING

88W INTEGRATED LED
Kelvin: 3000K
Delivered Lumens: 3690LM
CRI: 90+
Hours: 50,000 HRS
Dimmable: YES

DIMENSIONS

60"DIA x 2"H
Canopy: 11"DIA
Max Height: 99.5"



38135-019

38135-019 48" INWARD LED PENDANT

LAMPING

73W Integrated LED
Kelvin: 3000K
Delivered Lumens: 3280LM
CRI: 90+
Hours: 50,000 HRS
Dimmable: YES

DIMENSIONS

48"DIA x 2"H
Canopy: 9.5"DIA
Max Height: 99.5"



38134-012


38134-012 32" INWARD LED PENDANT

LAMPING

54W Integrated LED
Kelvin: 3000K
Delivered Lumens: 2430LM
CRI: 90+
Hours: 50,000 HRS
Dimmable: YES

DIMENSIONS

32"DIA x 2"H
Canopy: 9.5"DIA
Max Height: 99.5"



38138-010

38138-010 60" INWARD RECTANGULAR LED PENDANT

LAMPING

76W Integrated LED
Kelvin: 3000K
Delivered Lumens: 3600LM
CRI: 90+
Hours: 50,000 HRS
Dimmable: YES

DIMENSIONS

59.5"L 18.75"W x 2"H
Canopy: 11.75"L x 4.75"W
Max Height: 99.5"

PENDANT BASE OPTIONS CONT'D

OUTWARD LED



38133-015A

38136-016
60" INWARD LED PENDANT

LAMPING
88W Integrated LED
Kelvin: 3000K
Delivered Lumens: 3690LM
CRI: 90+
Hours: 50,000 HRS
Dimmable: YES

DIMENSIONS
60"DIA x 2"H
Canopy: 11"DIA
Max Height: 99.5"



38132-018

38135-019
48" INWARD LED PENDANT

LAMPING
73W Integrated LED
Kelvin: 3000K
Delivered Lumens: 3280LM
CRI: 90+
Hours: 50,000 HRS
Dimmable: YES

DIMENSIONS
48"DIA x 2"H
Canopy: 9.5"DIA
Max Height: 99.5"



38131-011

38134-012
32" INWARD LED PENDANT

LAMPING
54W Integrated LED
Kelvin: 3000K
Delivered Lumens: 2430LM
CRI: 90+
Hours: 50,000 HRS
Dimmable: YES

DIMENSIONS
32"DIA x 2"H
Canopy: 9.5"DIA
Max Height: 99.5"

MODULES* (OPTIONAL)

SPOT 8W Adjustable Spot Light
13W Adjustable Spot Light


DOWN LIGHT 10W Fixed Down Light

GLOW BAR 6W Glow Bar
10W Glow Bar

MODULE FEATURE



SLIDE AND LOCK



*ANY COMBINATION
UP TO 70 WATTS MAX

MODULES


10W Fixed Down Light



SIDE VIEW
0°



FRONT VIEW
0°




MODULE SPECIFICATIONS


NUMBER	38142-017
WATTS	10W Integrated LED
BEAM ANGLE	160°
KELVIN	3000K
DELIVERED LUMENS	480lm
CRI	90+
DIMMING	TRIAC Standard, 0-10V is consult factory
INPUT VOLTAGE	120V
FIXED HEAD	Diffused Lens
COLOR	Black/White
DIMENSION	3"Dia x 1"H

MODULES CONT'D


8W Adjustable Spot Light




13W Adjustable Spot Light



6W Glow Bar



10W Glow Bar




MODULE SPECIFICATIONS

NUMBER	38140-013
WATTS	8W Integrated LED
BEAM ANGLE	50°
KELVIN	3000K
DELIVERED LUMENS	650lm
CRI	90+
DIMMING	TRIAC Standard, 0-10V is consult factory
INPUT VOLTAGE	120V
ADJUSTABLE HEAD	Rotate 110° (side), 240° (front)
COLOR	Black/White
DIMENSION	2"Dia x 4.5"H

NUMBER	38141-010
WATTS	13W Integrated LED
BEAM ANGLE	40°
KELVIN	3000K
DELIVERED LUMENS	990lm
CRI	90+
DIMMING	TRIAC Standard, 0-10V is consult factory
INPUT VOLTAGE	120V
ADJUSTABLE HEAD	Rotate 120° (side), 240° (front)
COLOR	Black/White
DIMENSION	2.5"Dia x 5.5"H

NUMBER	38204-012
WATTS	6W Integrated LED
BEAM ANGLE	Cylindrical body for 360° illumination
KELVIN	3000K
DELIVERED LUMENS	370lm
CRI	90+
DIMMING	TRIAC Standard, 0-10V is consult factory
INPUT VOLTAGE	120V
ADJUSTABLE HEAD	Rotate 100° (side), 240° (front)
COLOR	Black/White
DIMENSION	1.25"Dia x 8"H


NUMBER	38205-019
WATTS	10W Integrated LED
BEAM ANGLE	Cylindrical body for 360° illumination
KELVIN	3000K
DELIVERED LUMENS	730lm
CRI	90+
DIMMING	TRIAC Standard, 0-10V is consult factory
INPUT VOLTAGE	120V
ADJUSTABLE HEAD	Rotate 100° (side), 240° (front)
COLOR	Black/White
DIMENSION	1.25"Dia x 13"H




1-10V

TRIAC


PHOTOMETRICS




8W ADJUSTABLE SPOT LIGHT
38140-013




13W ADJUSTABLE SPOT LIGHT
38141-010



10W FIXED DOWN LIGHT
38142-017



6W GLOW BAR
38204-012



10W GLOW BAR
38205-019